



: Bearing Separator



: Bench Vice



: Chisel, cross cut



: Chisel, flat cold



: Feeler Gauges



: Files



: Files with handles



: Grease Gun



: Hack Saw



: Hammer, ball peen



: Hammer, engineers



: Hammer, nylon



: Hammer, plastic



: Mallet, rubber



: Nippers, diagonal cutting



: Oil can



: Plier, circlip, 90 deg



: Plier, circlip, straight



: Plier, combination



: Plier, flat nose



: Plier, snipe nose



: Plier, snipe nose, 45 deg



: Plier, unigrip




: Plier, water pump



: Puller, triple leg



: Puller, twin leg



: Punch, parallel pin



: Scraper, triangular hollow



: Screwdriver, crosscut



: Screwdriver, flat



: Screwdriver, offset



: Screw Extractor



: Snips, hole cutting



: Vernier Caliper



: Wire Brush



: Wrench, adjustable



: Wrench, combination



: Wrench, combination, maxline



: Wrench, crowfoot



: Wrench, double end open jaw



: Wrench, double end ring



: Wrench, double end swivel



: Wrench, hexagon head



: Wrench, hook



: Wrench, manifold



: Wrench, single end open jaw



: Wrench, single end ring



: Wrench, single end ring round handle



: Wrench, slogging open jaw



: Wrench, slogging ring



: Wrench, socket